


King Long XMQ6520 –Mini Bus 15 seats (gasoline)

Specification	
Dimensions	Overall length (mm): 5200
	Overall width (mm): 1700
	Overall height (mm): 1980
	Wheel base (mm): 2590
	Minimum ground clearance (mm): 260
Speed	Maximum speed : 120 km/h
Engine	XG491Q-ME, Euro III (multi-injection electronic engine), Displacement 2.237 L Rated power/speed (kw/rpm) : 76/4200-4600 Maximum Torque/speed (N.m/rpm) : 180/2800
Transmission	5-speed mechanically controlled
Clutch	Single : Hydraulic pressure operated
Suspension	Front : Torsion bar spring – Rear : Leaf spring
Brakes	Front disc and Rear drums
Lamp	Front fog lamp – High mount stop lamp
Tires and Wheels	195/70R15 brand Vaccum Steel rim
Steering	Power steering
Passenger Capacity	Driver seat : Adjustable dump driver seat with leather cover and safety belt Passenger seat : 15 seats

Air Conditioner	Front and rear AC
Appearance	White flat paint
	All-in-one drill crystal lamp
	Manual rear-view mirrors
	White glass window
	Common rear combined lamp
Interior trimming and other specification	Driver side sun visor
	Floor PVC
	Manual front window
	Flocking ceiling
	Seat belt in all row
	SA-03 seats
	Radio

Options not included (paying)	Center control door lock
	High roof body
Remark	<ol style="list-style-type: none"> 1. King Long reserves the right to change the spec without previous notice; 2. The price is based on the warranty period of two (2) year or 60,000km, whichever first.
Delivery time	<p>50 days at LC's reception</p> <p>45-50 days shipping transit</p>



Others configurations



XMQ 6520 15 seats



Cargo



Ambulance



Police